

2.5" HDD External enclosure

AOK-E22U3 USB3.0 2.5" SATA external enclosure, Aluminum

- Specification** **Tool-free** external enclosure
Light weight aluminum alloy enclosure
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: (L) 131 x (W) 91 x (H) 19mm
Weight: 192.5g
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- Package** Folding Double Blister, enclosure, 0.5m USB3.0 Cable



AOK-E23U3 USB3.0 2.5" SATA external enclosure, ABS

- Specification** **Tool-free** external enclosure
Light weight UV ABS alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: 140x78x13mm
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- Package** Folding Double Blister, enclosure, 0.5m USB3.0 Cable



AOK-E24U3BK USB3.0 2.5" SATA external enclosure, Aluminum

- Specification** Light weight aluminum alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: 5" (L) x 3 1/8" (W) x 3/4" (H)
Weight: 0.20 lbs
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- Package** Folding Double Blister, enclosure, 0.5m USB3.0 Cable, screws, screwdriver



AOK-E24U3BL USB3.0 2.5" SATA external enclosure, Aluminum

- Specification** Light weight aluminum alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: 5" (L) x 3 1/8" (W) x 3/4" (H)
Weight: 0.20 lbs
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- Package** Folding Double Blister, enclosure, 0.5m USB3.0 Cable, screws, screwdriver



AOK-E25U3 USB3.0 2.5" SATA external enclosure, ABS

- Specification** **Tool-free** external enclosure
Light weight Rubber oil ABS alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: (W) 3 x (L) 5 x (H) 1/2-inch
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- Package** Folding Double Blister, enclosure, 0.5m USB3.0 Cable, screws, screwdriver



AOK-E220TC Type C Tool-free 2.5" SSD external enclosure, Aluminum

- Specification** Transfer Rate: Up to 5 Gb/s
Material: aluminum & plastic
Interface: USB 3.0 Type-A
Dimensions: 95 x 30 x 22mm/3 3/4" x 1 3/16" x 13/16" in
Total output: 1.2 A
Output interface: USB 3.0
Input interface: 4 USB 3.0 type-A ports with maximum speed of up to 5 Gbps
Weight: 71 g/2.5 oz
Color: silver and black
Supported OS(s): Windows XP/Vista/7 /8, Mac OS10.2 and above
- Package** Folding Double Blister, enclosure, 0.5m Cable





2.5" HDD External enclosure

AOK-E26U2 USB2.0 2.5" SATA external enclosure, Aluminum

- **Specification** **Tool-free** external enclosure
Light weight aluminum alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: (W) 77 x (D) 121 x (H) 15mm
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above



- **Package** Folding Double Blister, enclosure, 0.5m USB2.0 Cable

AOK-E26U3 USB3.0 2.5" SATA external enclosure, Aluminum

- **Specification** **Tool-free** external enclosure
Light weight aluminum alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: (W) 77 x (D) 121 x (H) 15mm
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
Backwards compatible with USB 2.0 and 1.1



- **Package** Folding Double Blister, enclosure, 0.5m USB3.0 Cable

AOK-E27U2 USB3.0 2.5" SATA external enclosure, ABS

- **Specification** **Tool-free** external enclosure
Light weight aluminum alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Support : 2.5" HDD SATA I/ II / III
Dimension: 134x80x14mm
Weight: 56.15g
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above



- **Package** Folding Double Blister, enclosure, 0.5m USB2.0 Cable

AOK-E28U3 USB3.0 2.5" SATA external enclosure, Aluminum

- **Specification** Light weight aluminum alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: 129x75x12mm
Weight: 0.45lbs
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above



- **Package** Folding Double Blister, enclosure, 0.5m USB3.0 Cable, screws, screwdriver

AOK-E29U3 USB3.0 2.5" SATA external enclosure

- **Specification** **Tool-free** external enclosure
Light weight aluminum alloy enclosure
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above



- **Package** Folding Double Blister, enclosure, 0.4m USB 3.0 Cable

AOK-E210U2 USB 2.0 2.5" SATA external enclosure

- **Specification** **Tool-free** external enclosure
Light weight ABS alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Support : 2.5" HDD SATA I/ II / III
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above



- **Package** Folding Double Blister, enclosure, 0.4m USB2.0 Cable



2.5" HDD External enclosure

AOK-E211U3BK USB3.0 2.5" SATA external enclosure

- **Specification**

Material: plastic
Light weight ABS alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: 131x82x12mm
Weight: 0.15lbs
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- **Package**

Folding Double Blister, enclosure, 0.4m USB 3.0 Cable



AOK-E211U3BL USB3.0 2.5" SATA external enclosure

- **Specification**

Material: plastic
Light weight ABS alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: 131x82x12mm
Weight: 0.15lbs
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- **Package**

Folding Double Blister, enclosure, 0.4m USB 3.0 Cable



AOK-E212U2 USB 2.0 2.5" eSATA/SATA external enclosure

- **Specification**

Light weight aluminum alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Up to 3GBs data transfer rate in eSATA
Up to 5.0 Gbps Data Transfer Rate In USB 3.0
Support : 2.5" HDD SATA I/ II / III
Interface: USB 2.0/3.0, eSATA, SATA 7+15
Dimensions: 125x78x22mm
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- **Package**

Folding Double Blister, enclosure, 0.4m USB 2.0 Cable



AOK-E213U2 USB2.0 2.5" SATA external enclosure

- **Specification**

Light weight aluminum alloy enclosure
Up to 480 Mbps Data Transfer Rate In USB 2.0
Support : 2.5" HDD SATA I/ II / III
Dimensions: 133x90x14mm
Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
- **Package**

Folding Double Blister, enclosure, 0.4m USB 2.0 Cable



AOK-E215U3 USB3.0 2.5" SSD/SATA HDD external enclosure, anti-shock

- **Specification**

Up to 5.0 Gbps data transfer rate In USB 3.0
Anti-shock Slim aluminum and silicone case
Interface: SATA to USB 3.0
Support : 2.5" HDD SATA I/ II / III
Color: Black
Dimensions: 5 1/8" (L) x 3 1/8" (W) x 1/2" (H)
Weight: 0.15 lbs
OS support: Windows XP/Vista/7/8/10, Mac OS10x & Above
- **Package**

Folding Double Blister, enclosure, 0.4m USB 3.0 Cable, screws, screwdriver



AOK-E215U3TC Type C Gen 2 2.5" SSD/SATA HDD external enclosure, anti-shock

- **Specification**

Up to 10.0 Gbps data transfer rate In USB 3.1
Anti-shock Slim aluminum and silicone case
Interface: SATA to USB 3.0
Support : 2.5" HDD SATA I/ II / III
Color: Black
Dimensions: 5 1/8" (L) x 3 1/8" (W) x 1/2" (H)
Weight: 0.15 lbs
OS support: Windows XP/Vista/7/8/10, Mac OS10x & Above
- **Package**

Folding Double Blister, enclosure, 0.4m Type C Cable, screws, screwdriver



2.5" HDD External enclosure

AOK-E216U3 USB3.0 2.5" SSD/SATA HDD external enclosure

- Specification**
- Light weight aluminum alloy enclosure
 - Up to 5.0 Gbps Data Transfer Rate In USB 3.0
 - Support : 2.5" HDD SATA I/ II / III
 - Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
 - Dimensions: 5" (L) x 2 7/8" (W) x 1/2" (H)
 - Weight: 0.15 lbs

- Package** Folding Double Blister, enclosure, 0.4m Type C Cable, screws, screwdriver



AOK-E218U3 USB3.0 2.5" SSD/SATA HDD external enclosure

- Specification**
- Light weight aluminum alloy enclosure
 - Up to 5.0 Gbps Data Transfer Rate In USB 3.0
 - Support : 2.5" HDD SATA I/ II / III
 - Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
 - Dimensions: (L) 4 7/8 x (W) 2 7/8 x (H) 1/2"
 - Weight: 0.45Lb

- Package** Folding Double Blister, enclosure, 0.4m USB3.0 Cable, screws, screwdriver



AOK-E219U3 USB3.0 2.5" SSD/SATA HDD external enclosure, anti-shock

- Specification**
- Up to 5.0 Gbps data transfer rate In USB 3.0
 - Anti-shock** Slim aluminum and silicone case
 - Interface: SATA to USB 3.0
 - Support : 2.5" HDD SATA I/ II / III
 - Color: Black
 - Dimensions: 5 1/8" (L) x 3 1/8" (W) x 1/2" (H)
 - Weight: 0.15 lbs
 - OS support: Windows XP/Vista/7/8/10, Mac OS10x & Above

- Package** Folding Double Blister, enclosure, 0.4m USB 3.0 Cable, screws, screwdriver



AOK-E221U31TC Type C Gen 2 USB3.0 2.5" SSD/SATA HDD external enclosure

- Specification**
- USB Type-C Gen 2 Interface
 - Up to 10 Gbps Data Transfer Rate In USB 3.1
 - Slim Aluminum Case
 - Support Hot Plug & Play
 - Applicable for PC, Notebook and Mac
 - Supports UASP
 - Compatible with 7mm & 9.5mm 2.5" Drive
 - Type: 2.5" SATA SSD/HDD External Enclosure
 - Interface: SATA to USB 3.1 Gen 2
 - Color: Black
 - Dimensions:: 5" (L) x 3" (W) X 1/2" (H)
 - Weight: 0.12 lbs
 - OS Support: Windows XP/Vista/7/8/10, Mac OS10x & Above

- Package** Folding Double Blister, enclosure, 0.4m Type C Cable, screws, screwdriver



AOK-ETC252 USB 3.1 2.5" 2-bay SATA HDD enclosure

- Specification**
- USB Type-C Gen 2 Interface
 - Up to 10 Gbps Data Transfer Rate In USB 3.1
 - Slim Aluminum Case
 - Support Hot Plug & Play
 - Applicable for PC, Notebook and Mac
 - Supports UASP
 - Compatible with 7mm & 9.5mm 2.5" Drive
 - Type: 2.5" SATA SSD/HDD External Enclosure
 - Interface: SATA to USB 3.1 Gen 2
 - Color: Black
 - Dimensions:: 5" (L) x 3" (W) X 1/2" (H)
 - Weight: 0.12 lbs
 - OS Support: Windows XP/Vista/7/8/10, Mac OS10x & Above

- Package** Folding Double Blister, enclosure, 0.4m Type C Cable, screws, screwdriver





2.5" HDD External enclosure

AOK-E425U3 USB 3.0 2.5" SATA external enclosure

- Specification**
- Light weight aluminum alloy enclosure
 - Up to 5.0 Gbps Data Transfer Rate In USB 3.0
 - Support : 2.5" HDD SATA I/ II / III
 - Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above
 - Dimensions: 144x73x20mm
 - Weight: 0.15 lbs

- Package** Folding Double Blister, enclosure, 0.4m USB 3.0 Cable, screws, screwdriver



AOK-EM2U3 USB 3.0 to NGFF M.2 SATA SSD enclosure

- Specification**
- Elegant and durable aluminum construction
 - Supports 4 sizes of NGFF M.2 SSD 2230, 2242, 2260, and 2280
 - Backward compatible with USB 2.0
 - Max transfer rate: USB 3.0 (up to 5Gbps) with UASP supports SATA III (6Gbps)
 - Dimensions: 3-13/16 x 1-1/2 x 3/8", 97 x 38 x 10mm
 - Weight: 0.12 lbs (54g)
 - Supported OS: Windows XP/Vista/7/8/10 Mac OS X+

- Package** Folding Double Blister, enclosure, 0.3m USB3.0 Cable, screws, screwdriver



AOK-EM2U3TC USB3.1 Gen 2 Type C to 2 Ports NGFF(M.2) *2 SSD Raid HDD Enclosur

- Specification**
- Material: aluminum and magnesium alloys
 - Supports dual M.2 SATA slots
 - Supports data transfer rate 10Gbps, 5Gbps, 480Mbps, 12Mbps
 - Supports RAID 0, RAID 1, and PM
 - Compatible to M.2 SSD with SATA mode
 - Interface: NGFF(M.2) *2
 - System: all Windows/Linux/Mac OS
 - Suitable for SATA agreement, KEY B NGFF SSD

- Package** Folding Double Blister, enclosure, 0.3m Type C Cable, screws, screwdriver



AOK-EMSATAU3 USB 3.0 to Mini-SATA mSATA SSD Enclosure

- Specification**
- Elegant and durable aluminum construction
 - Up to 5Gbps data transfer rate in USB 3.0 port
 - Compatible also with USB 2.0 (480Mbps) port
 - Supports 50-mm mSATA SSD
 - Support SATA I/II/III (1.5/3.0/6.0Gbps) mSATA SSD
 - SSD Capacity: 1TB mSATA SSD
 - Dimensions: 2-7/8 x 1-5/8 x 1/2", 74 x 43 x 13mm
 - Weight: 0.11lbs (50g)
 - Support OS: Windows 10/ME/2000/XP/Vista/Mac OS 10x & Above

- Package** Folding Double Blister, enclosure, 0.3m USB3.0 Cable, screws, screwdriver



AOK-EMAU31 USB 3.1 Type C to 2 Ports mSATA SSD Raid HDD Enclosure

- Specification**
- 2 mSATA interfaces support 3030 or 3050 mSATA Card
 - Support Raid0, Raid1 or PM mode
 - Dimension: 100mm X 70mm X 9mm
 - Transfer rate: USB3.1 Type-C 10Gbps
 - Interface: mSATA * 2
 - Material: Aluminum and Magnesium alloys
 - Easy installation
 - LED status indicator
 - All WINDOWS/ Linux / Mac OS

- Package** Folding Double Blister, enclosure, 0.3m USB3.0 Cable, screws, screwdriver



AOK-PP251 2.5" Hard Disk Protection Box

- Specification**
- Finest PP, hard but not fragile
 - Supports 2.5 inches hard disk
 - Anti-shock and waterproof design
 - Multiple colors: black, white, red, green, orange and all colors you want

- Package** PE bag

